## SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT Title V Permit Summary

AQMD Facility ID:	11435	Company Name:	THE PQ (	CORP			
Equipment Location: 8401 QUARTZ AVENUE, SOUTH				ALIFORNIA 9	SIC 2819		
Permit Revision #:		Revision Date:	Fa	cility Permit S	ection(s) Affected:		
Application #(s): 437572			Application Submittal Date(s): 12/01/04				
AQMD Contact			Phone #:		E-Mail Address:		
Person: STEPHEN JIANG			(909) 390	5-3134	sjiang@aqmd.gov		
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in production of solid form and aqueous solution sodium silicates. This facility operates an open hearth furnace, a boiler, a sodium silicate dissolving system, and associated storage silos, conveyors, and other supporting equipment. PM emissions from the storage silos and conveyors are controlled by six dust collectors. NOX emissions from the boiler are controlled by a flue gas recirculation system.							
Permit Type: ☐ Initial Title V Permit ☐ Significant Revision ☐ Permit Renewal ☐ De Minimus Permit Revision							
Permit Renewal							
Permit Features: Federally Enforceable Emission Cap For Exemption From Permit Shield Applies Certain NESHAP Requirements							
Permit Contains Conditions Allowing Emission Trading  Alternative Operating Scenario							
☐ Permit Streamlines Overlapping or Outdated Requirements ☐ Other:							
Source Out of Compliance With Applicable Requirements							
and/or Operating Under a Variance							
Toxic Air Contaminant							
Emissions (TAC) - Ann			_	ACs Were Re	ported: <u>Er</u>	missions (lbs/yr):	
Reported Emissions for			ETALDEHY	DE		1.156	
Reporting Year: 2004-2		ROLEIN			0.726		
			IMONIA NZENE			4842.000	
				NIE		2.152	
ETH						2.555	
FOR				DE		4.573	
HEX				5		1.694	
NAI				E.		0.080 0.026	
PAI						9.845	
			LUENE LENES			7.316	
						7.510	
Health Risk From Health Risk Reduction Plan in Force (AQMD Rule 1402) (date):							
Toxic Air Contaminants:  Health Risk Assessment Required for this Permit Action (AQMD Rule 1401)  Figure 2. A. (AP2500)							
Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588)							
☐ Facility Determined to be Exempt from AB2588 Requirements ☐ AQMD is Tracking Status of Facility under AB2588							
Health Risk Assessment Submitted to AQMD and Is Being Reviewed							
Final Facility Health Risk Approved (date)							
Cancer Risk = in one million							
		Acute Hazard Index =	<u></u>				
Chronic Hazard Index =							
Criteria Pollutant Emiss	sions	⊠ NOx	84.810	⊠ PM	5.816		
Annual Reported Emissions CO			5.663	_ ⊠ S0x	0.080		
(tons/year) for Reporting Year: 2004-2005 $\boxtimes$ VOC $\bigcirc$ 0.912 $\bigcirc$ Other:							
Compliance History: Citizen Complaints Filed in Last Two Calendar Years (# 0)							
F		to Comply Issued in La					
☐ Notices of Violation Issued in Last Two Calendar Years (# 0)							
Comments:					. ,		